

# SCHOENBERG HALL TECHNICAL SPECIFICATIONS

## Stage Dimensions

- |  |          |
|--|----------|
| 1. Proscenium Width                      | 42' 0"   |
| 2. Proscenium Height                     | 18' 0"   |
| 3. Standard House Masking Width          | 36' 0"   |
| 4. Standard House Masking Height         | 16' 0"   |
| 5. Curtain Line to back wall:            | 34' 0"   |
| 6. Proscenium to front of stage:         | 2' 8.5"  |
| 7. Proscenium to DSC edge of Stage lift  | 12' 6.5" |
| 8. Center Line to pinrail SR:            | 30' 0"   |
| 9. Center Line to wall SL:               | 34' 0"   |
| 10. Height of stage from audience floor: | 3' 2"    |
- Surface: Sprung fir, covered with ¼" masonite, painted black (notraps)

## Seating Capacity

- |   |                       |
|---|-----------------------|
| Total permanent seating capacity                  | 550                   |
| Total seating capacity with 3 wheel chairs        | 541                   |
| Additional seating can be added to the stage lift | 33 for a total of 583 |

## Rigging

1. Equipment: 25 counterweighted line sets  
500 pound capacity per arbor
2. Fly Space: Ceiling height: (No fly loft) 24' 6"  
Battens fly out: 22' 6"

## Drapery

1. A full set of stage drapes, black velour hung over stage including mid and up-stage trawlers, legs and borders  
Legs 10' 0" Wide by 20' 0" High  
Borders 50' 0" Wide by 4' 0" High  
Travelers 50' 0" Wide by 20' 0" High
2. Main Act Curtain, dead hung royal red velour (travels only)
3. 3. Cyclorama: Rosco Opera (plastic)  
Height 21' 6"  
Width 40' 0"

## Lighting

1. Control: E.T.C. Insight 2-108 channels, up to 600 cues, 250 groups  
proportional soft patch
2. Dimmers: Dimmer per circuit Colortran 190 -190 dimmers @ 2.4kw
3. Power: 400 amps, 3 phase
4. Temporary Power: 3 phase, 200 amps per leg (in basement)

## Sound

- No house system, rental systems available for additional fee.
1. Head sets RTS headset system (6 headsets) 2 main stations  
located BackStage Right and the Light Booth
  2. Paging System Located SR can page to Dressing rooms and Green Room.
  3. Stage Monitor Feeds audio to Dressing Rooms, Green Room and Booth.

## Video

House has color camera with monitor located Back Stage Right.

## Stage Equipment

1. Pianos: 2 Steinway concert grands (available upon request, property of the UCLA Dept. of Music) rental and tuning fee.
2. Follow Spot: 1 Trouperette III (1500w)

## Dressing Rooms (located in basement USL)

1. Double room: 1 each for 4 people
2. Single room: 10 each for 2 people

## **LIGHTING INVENTORY FOR SCHOENBERG HALL**

### **26° Source 4 575W**

- 22 – FOH 1<sup>st</sup> Beam
- 1 – AP Downs Conductor light
- 2 – Box booms 1 per side
- 16 – On Electrics

**Total 41**

### **36° Source 4 575W**

- 4 – FOH 1<sup>st</sup> Beam
- 2 – FOH 2<sup>nd</sup> Beam Dedicated Curtain Warmers
- 8 – Box booms 4 per side
- 15 – On Electrics
- 24 – On tail down booms

**Total 53**

### **50° Source 4 575W**

- 6 – 1<sup>st</sup> Electric

### **19° Source 4 575W**

- 12 – FOH 2<sup>nd</sup> Beam
- 2 – Box booms 1 per side

## **CENTURY 6" FRESNELS**

- 12 – 1<sup>st</sup> electric
- 12 – 2<sup>nd</sup> electric
- 12 – 3<sup>rd</sup> electric
- 10 – 4<sup>th</sup> electric
- 29 – Spare

**TOTAL 75**

## **ADDITIONAL EQUIPMENT**

6	-	ALTMAN FAR CYCS 6 <sup>th</sup> Electric
4	-	COLORTRAN STRIPS – Ground Row
1		Source 4 Par
33		Barn doors
5		50' SPG
9		25' SPG
1		2' SPG jumper
2		5' SPG
11		Twofers
9		Side arms
2		6' Circuit Multi hods 20'

### SCHOENBERG HALL LINE PLOT

Line Numbers	Distance from Plaster line	Maximum High Trim	Load Description	Remarks
	0' 4.75"		Adjustable Black leg	Dead hung tracks SL & SR
	1' 2.5"		Main Curtain	
1	2' 7"	22' 6"	Portal Border	Black Velour 4'H x 50' L
2	3' 3.5"	22' 6"	1 <sup>ST</sup> Electric	
3	4' 1.5"	22' 6"	1st Ladder	
4	6' 5.5"	22' 6"	Motorized movie Screen	- Non-removable
5	6' 5.5"	22' 6"	Border	
6	7' 1.5"	22' 6"	Leg	Black Velour 20' H x 10' W
7	7' 4.5"	22' 6"		
8	9' 10"	22' 6"	2 <sup>nd</sup> Electric and 2 <sup>nd</sup> Ladder	
9	10' 11"	22' 6"	2 <sup>nd</sup> Border	Black Velour 4'H x 50' L
10	11' 11"	22' 6"	Mid Stage Traveler	
11	13' 0.5"	22' 6"		
12	13' 1"	22' 6"		
13	14' 11.5"	22' 6"	4 <sup>th</sup> Electric and 3 <sup>rd</sup> Ladder	
14	16' 1.5"	22' 6"	Border	Black Velour 4'H x 50' L
15	17' 3.5"	22' 6"	Legs	Black Velour 20' H x 10' W
16	17' 7.5"	22' 6"		
17	18' 2.5"	22' 6"	4 <sup>th</sup> Ladder	
18	19' 5.5"	22' 6"	5 <sup>th</sup> Electric	
19	20' 9.5"	22' 6"	Border	Black Velour 4'H x 50' L
20	22' 9"	22' 6"	6 <sup>th</sup> Electric (Cyc lights)	
	23' 8"		Up Stage Traveler	Dead Hung
21	24' 5.5"	22' 6"		
22	22' 6.5"	22' 6"		
23	27' 8.5"	22' 6"	Cyc	
24	28' 2.5"	22' 6"		
25	29' 6.5"	22' 6"		